



REMP LA

BRAND STYLE GUIDE - 2026



REMPLA










REMPLA



REMPLA

PRIMARY FONTS


ARNO PRO BOLD

F U T U R A M E D I U M


ACCEPTABLE PAIRING FONTS

F U T U R A B O L D

M O N T S E R R A T



HEX **#FCD68B**
RGB **252, 214, 139**
CMYK **1, 16, 53, 0**



HEX **#D1B371**
RGB **209, 179, 113**
CMYK **19, 27, 65, 0**




HEX **#728AA5**
RGB **114, 138, 165**
CMYK **60, 40, 23, 1**



HEX **#001A3D**
RGB **0, 26, 61**
CMYK **100, 87, 42, 56**



HEX **#544F53**
RGB **84, 79, 83**
CMYK **63, 60, 53, 33**



HEX **#E9E5E1**
RGB **233, 229, 225**
CMYK **7, 7, 9, 0**







DO NOT SKEW LOGO




DO NOT CHANGE BRAND COLORS
UNLESS APPROVED BY AGENCY



DO NOT REMOVE ELEMENTS




DO NOT CHANGE PROPORTIONS



DO NOT ROTATE LOGO



DO NOT SUBSTITUTE FONTS



DO NOT FADE LOGO UNLESS USED AS
TEXTURE OR WATERMARK



DO NOT CHANGE POSITION



DO NOT USE LOW CONTRAST BACKGROUNDS



DO NOT ALTER MARK




DO NOT CHANGE ALIGNMENT




DO NOT DISTRESS UNLESS APPROVED BY AGENCY

MINIMUM SPACING GUIDE



MAINTAIN REASONABLE SPACE
AROUND MAIN LOGO WHEN UTILIZED WITH
OTHER ELEMENTS





PAXTON CRADDOCK
Vice President

(941) 256-6087
paxton@rempla.com
rempla.com





REMP LA



REMPLA

BRAND STYLE GUIDE - 2026